



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/824,156	04/14/2004	David G. Land	04E007	6382

7590 03/31/2006

M. David Galin
Renner, Otto, Boisselle & Sklar, LLP
Nineteenth Floor
1621 Euclid Avenue
Cleveland, OH 44115-2191

EXAMINER

CHAMBERS, TROY

ART UNIT	PAPER NUMBER
----------	--------------

3641

DATE MAILED: 03/31/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)	
	10/824,156	LAND, DAVID G.	
	Examiner	Art Unit	
	Troy Chambers	3641	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) 17-20 is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 1-16 is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. ____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. ____. |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date ____. | 6) <input type="checkbox"/> Other: ____. |

DETAILED ACTION

Drawings

1. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the "component to adjust the charge threshold based on ambient temperature" (claim 16) must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 112

2. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

3. Claim 16 is rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention. Specifically, claim 16 requires a component to adjust the charge threshold based on ambient temperature. However, neither the specification nor drawings describe how or in what manner a component performs this function in combination with the apparatus as it is presently disclosed.

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:


(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 1-15 are rejected under 35 U.S.C. 103(a) as being unpatentable over US 4962708 issued to Snyder et al. (hereinafter "Snyder") in view of US 6867512 issued to

Art Unit: 3641

Delaire et al. (hereinafter "Delaire") and in further view of US 6546873 issued to Andrejkovics et al. (hereinafter "Andrejkovics").

6. Snyder discloses a detonator initiator comprising:



- a. a linear actuator assembly having
 - i. a core
 - ii. a coil (solenoid)
- b. a capacitor

Snyder does not disclose a core with a permanent magnet or an electrical circuit for monitoring the charge on the capacitor.

7. Delaire discloses a valve actuator comprising:

- c. a linear actuator assembly having
 - iii. a solenoid

iv. permanent magnet 26

8. Andrejkovics discloses an apparatus for activating a remote device comprising:

d. a receiver

e. a capacitor col. 6, line 45

f. a controller and microprocessor

to monitor capacitor charge col. 7, ll. 45-62.

v. support logic Fig. 5

vi. timer Fig. 5

9. At the time of the invention, one having ordinary skill in the art would have found it obvious to provide the detonator initiator of Snyder with the permanent magnet of Delair. The suggestion/motivation for doing so would have been to provide increased armature force and increased travel so as to improve controllability and increase flow.

10. At the time of the invention, one having ordinary skill in the art would have found it obvious to provide the linear actuator assembly of Snyder with the capacitor charge monitoring circuit of Andrejkovics. The suggestion/motivation for doing so would have been to provide a means for delaying firing of the device until the capacitor has reached the required charge.

11. Claim 16 is rejected under 35 U.S.C. 103(a) as being unpatentable over Snyder, Delaire and Andrejkovics as applied to claim 1 above, and further in view of US 3792663 issued to Schneider. The combined device to Snyder, Delaire and Andrejkovics is as described above. However, neither reference appear to disclose a component to adjust the charge threshold based on ambient temperature.

Schneider discloses an electrochemical timing apparatus including a thermistor 52 for automatically controlling the rate of a wire in response to ambient temperature variations.

12. At the time of the invention, one having ordinary skill in the art would have found it obvious to provide the combined device of Snyder, Delaire and Andrejkovics with the electrochemical timing apparatus of Schneider. The suggestion/motivation for doing so would have been to provide for a self-destruct option for ordinance devices to avoid undesired ignitions.


Conclusion

13. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The prior art cited on form PTO-892 are cited as of interest to show similar

14. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Troy Chambers whose telephone number is (571) 272-6874 between the hours of 7:00 a.m. to 3:30 p.m., M-F. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael J. Carone, can be reached at (571) 272-6873.

Troy Chambers
Primary Examiner
Art Unit 3641

TC
27 March 2006

A handwritten signature in black ink, appearing to read 'T. Chambers', is written over the printed name and extends across the date line.